ELSEVIER

Physica C 289 (1997) 299–301

PHYSICA C

Author Index to Volume 289

Al-Mosawi, M.K., A. Crisan, C. Beduz, D. Phillips and P. Haldar, Current–voltage characteristics of long $Bi_2Sr_2Ca_2Cu_3O_{10}$/Ag multifilamentary tapes at different bending strains, **289**, (1997) 63

Aligia, A.A., see Arrachea, L., **289**, (1997) 70

Andreone, A., C. Aruta, A. Cassinese, F. Palomba, R. Vaglio, G. Balestrino and E. Milani, Microwave surface impedance measurements of epitaxial $Bi_2Sr_2CaCu_2O_{8+x}$ films grown by LPE, **289**, (1997) 275

Angurel, L.A., see Martínez, E., **289**, (1997) 1

Arrachea, L. and A.A. Aligia, Superconductivity in a generalized Hubbard model, **289**, (1997) 70

Aruta, C., see Andreone, A., **289**, (1997) 275

Balestrino, G., see Andreone, A., **289**, (1997) 275

Barkay, Z., see Krupke, R., **289**, (1997) 146

Bauer, E., see Trajanovic, Z., **289**, (1997) 89

Beduz, C., see Al-Mosawi, M.K., **289**, (1997) 63

Berthier, Y., see Grévin, B., **289**, (1997) 77

Bridges, F., see Trajanovic, Z., **289**, (1997) 89

Brunen, J., T. Strach, J. Zegenhagen and M. Cardona, Growth of (110)-oriented epitaxial $RBa_2Cu_3O_{7-\delta}$ thin films and characterization with Raman spectroscopy, **289**, (1997) 177

Bryntse, I., see Lundqvist, P., **289**, (1997) 137

Capponi, J.J., see Peacock, G.B., **289**, (1997) 153

Cardona, M., see Brunen, J., **289**, (1997) 177

Cassinese, A., see Andreone, A., **289**, (1997) 275

Chabanenko, V.V., A.I. D'yachenko, H. Szymczak and S. Piechota, Failure of textured YBaCuO samples in the strong magnetic field, **289**, (1997) 211

Chandran, M., Field distribution in thin superconductors: effect of sample shape, **289**, (1997) 22

Chen, J.W., J.C. Wang and Y.F. Chen, Study of dielectric relaxation behavior in Nd_2CuO_4, **289**, (1997) 131

Chen, S.P., see Wu, K.H., **289**, (1997) 230

Chen, Y.F., see Chen, J.W., **289**, (1997) 131

Costa, F.M., R.F. Silva and J.M. Vieira, Influence of epitaxial growth on superconducting properties of LFZ Bi–Sr–Ca–Cu–O fibres. Part I. Crystal nucleation and growth, **289**, (1997) 161

Costa, F.M., R.F. Silva and J.M. Vieira, Influence of epitaxial growth on superconducting properties of LFZ Bi–Sr–Ca–Cu–O fibres. Part II. Magnetic susceptibility and transport properties, **289**, (1997) 171

Crisan, A., see Al-Mosawi, M.K., **289**, (1997) 63

Deutscher, G., see Krupke, R., **289**, (1997) 146

Díez, J.C., see Martínez, E., **289**, (1997) 1

Ding, S.Y., see Yu, Y., **289**, (1997) 199

Doyle, S., see Looney, C., **289**, (1997) 203

D'yachenko, A.I., see Chabanenko, V.V., **289**, (1997) 211

Edwards, P.P., see Peacock, G.B., **289**, (1997) 153

Feng, Y., L. Zhou, J.G. Wen and N. Koshizuka, Flux pinning and flux creep in Sn-doped powder melting processed YBCO, **289**, (1997) 216

Fistul, M.V. and G.F. Giuliani, Effect of randomly distributed anisotropic vortices on the critical current of a layered superconductor, **289**, (1997) 291

Gameson, I., see Peacock, G.B., **289**, (1997) 153

Giuliani, G.F., see Fistul, M.V., **289**, (1997) 291

Gnanasekar, K.I., see Pinto, R., **289**, (1997) 280

Goodilin, E., M. Kambara, T. Umeda and Y. Shiohara, Construction of a quasi-ternary phase diagram in the $NdO_{1.5}$–BaO–CuO system in the air atmosphere Part II. Phase equilibria of the neodymium-rich $Nd_{1+x}Ba_{2-x}Cu_3O_z$ solid solution, **289**, (1997) 251

Goodilin, E., M. Kambara, T. Umeda and Y. Shiohara, Solubility of neodymium in copper-rich oxide melts in air and growth of $Nd_{1+x}Ba_{2-x}Cu_3O_z$ solid solution single crystals, **289**, (1997) 37

Gou, Y.S., see Wu, K.H., **289**, (1997) 230

Grahn, P., see Lundqvist, P., **289**, (1997) 137

Grévin, B., Y. Berthier, I. Monot, J. Wang and F. Weiss, Chemical phase separation in carbon doped $YBa_2Cu_3O_{6+x}$: a $^{63,65}Cu$ NQR study, **289**, (1997) 77

Gupta, L.C., see Pinto, R., **289**, (1997) 280

Haldar, P., see Al-Mosawi, M.K., **289**, (1997) 63

Hermann, A.M., see Looney, C., **289**, (1997) 203

Hou, L., see Vasiliev, A.L., **289**, (1997) 243

Huang, B.C., see Lee, W.H., **289**, (1997) 114

Jardim, R.F., see Sandim, M.J.R., **289**, (1997) 265

Ji, Z.M., see Yu, Y., **289**, (1997) 199

Jin, X., see Yu, Y., **289**, (1997) 199

Juang, J.Y., see Wu, K.H., **289**, (1997) 230

Kambara, M., see Goodilin, E., **289**, (1997) 251
Kambara, M., see Goodilin, E., **289**, (1997) 37
Kanai, M., D. Matsuura, T. Kawai and H. Miki, Electronic states in $La_{2-x}Sr_xNiO_4$ ($x = 0$ to 1.20) investigated by scanning tunneling spectroscopy, **289**, (1997) 223
Kawai, T., see Kanai, M., **289**, (1997) 223
Kojo, H., S.I. Yoo and M. Murakami, Melt processing of high-T_c Nd–Ba–Cu–O superconductors in air, **289**, (1997) 85
Koshizuka, N., see Feng, Y., **289**, (1997) 216
Krupke, R., Z. Barkay and G. Deutscher, On the origin of hole formation in YBCO films, **289**, (1997) 146
Kvam, E.P., see Vasiliev, A.L., **289**, (1997) 243

Lee, W.H. and B.C. Huang, Changes in doping state of $Tl(Sr_{2-x}R_x)CaCu_2O_{7-\delta}$ (R = Sm, Eu, Dy) system, **289**, (1997) 114
Li, Z., see Ramanathan, S., **289**, (1997) 192
Linehan, D.S., see Vasiliev, A.L., **289**, (1997) 243
Looney, C., J.S. Schilling, S. Doyle and A.M. Hermann, Possibility for oxygen relaxation below 15 K in superconducting $Tl_2Ba_2CuO_{6+x}$, **289**, (1997) 203
Lu, W.H., see Zhang, X., **289**, (1997) 99
Lundqvist, P., P. Grahn, Ö. Rapp and I. Bryntse, Charge neutral dopings, and doping with holes and electrons in $REBa_2Cu_3O_{7-\delta}$ (RE = Y, Sm), **289**, (1997) 137

Martínez, E., L.A. Angurel, J.C. Díez and R. Navarro, Analysis of the length scales in the induced critical currents of $Bi_2Sr_2CaCu_2O_{8+y}$ thick fibres, **289**, (1997) 1
Matsuura, D., see Kanai, M., **289**, (1997) 223
McElfresh, M.W., see Vasiliev, A.L., **289**, (1997) 243
Miki, H., see Kanai, M., **289**, (1997) 223
Milani, E., see Andreone, A., **289**, (1997) 275
Monot, I., see Grévin, B., **289**, (1997) 77
Müller, K.-H., Self-field hysteresis loss in periodically arranged superconducting strips, **289**, (1997) 123
Murakami, M., see Kojo, H., **289**, (1997) 85

Navarro, R., see Martínez, E., **289**, (1997) 1

Ong, C.K., see Zhang, X., **289**, (1997) 99

Palomba, F., see Andreone, A., **289**, (1997) 275
Peacock, G.B., I. Gameson, M. Slaski, J.J. Capponi and P.P. Edwards, Fluorination of mercury-based high-temperature superconductors, **289**, (1997) 153
Phillips, D., see Al-Mosawi, M.K., **289**, (1997) 63
Pickett, W.E., Effect of uniaxial strains on the electronic structure of $YBa_2Cu_3O_7$, **289**, (1997) 51
Piechota, S., see Chabanenko, V.V., **289**, (1997) 211
Pinto, R., L.C. Gupta, R. Sharma, A. Sequiera and K.I. Gnanasekar, Superconductivity in $Lu_{1-x}Ca_xBa_2Cu_3O_{6+\delta}$: holes generated by Ca, **289**, (1997) 280

Qin, M.J., see Yu, Y., **289**, (1997) 199

Rajeswari, M., see Trajanovic, Z., **289**, (1997) 89
Ramanathan, S., Z. Li and K. Ravi-Chandar, On the growth of BSCCO whiskers, **289**, (1997) 192
Rapp, Ö., see Lundqvist, P., **289**, (1997) 137
Ravi-Chandar, K., see Ramanathan, S., **289**, (1997) 192

Sager, R.E., see Sandim, M.J.R., **289**, (1997) 265
Sandim, M.J.R., P.A. Suzuki, S. Spagna, S.C. Tripp, R.E. Sager and R.F. Jardim, Increased resistance below the superconducting transition in granular $Sm_{1.83}Ce_{0.17}CuO_{4-y}$ compounds, **289**, (1997) 265
Schilling, J.S., see Looney, C., **289**, (1997) 203
Sequiera, A., see Pinto, R., **289**, (1997) 280
Shao, H.M., see Yu, Y., **289**, (1997) 199
Sharma, R., see Pinto, R., **289**, (1997) 280
Shiohara, Y., see Goodilin, E., **289**, (1997) 251
Shiohara, Y., see Goodilin, E., **289**, (1997) 37
Shreekala, R., see Trajanovic, Z., **289**, (1997) 89
Silva, R.F., see Costa, F.M., **289**, (1997) 161
Silva, R.F., see Costa, F.M., **289**, (1997) 171
Slaski, M., see Peacock, G.B., **289**, (1997) 153
Spagna, S., see Sandim, M.J.R., **289**, (1997) 265
Strach, T., see Brunen, J., **289**, (1997) 177
Sun, A.M., see Yu, Y., **289**, (1997) 199
Suzuki, P.A., see Sandim, M.J.R., **289**, (1997) 265
Szymczak, H., see Chabanenko, V.V., **289**, (1997) 211

Takano, S., see Yasuda, T., **289**, (1997) 109
Takeuchi, I., see Trajanovic, Z., **289**, (1997) 89
Tonouchi, M., see Yasuda, T., **289**, (1997) 109
Trajanovic, Z., R. Shreekala, M. Rajeswari, I. Takeuchi, T. Venkatesan, E. Bauer and F. Bridges, Dopant incorporation and anisotropy in in-plane aligned a-axis oriented $YBa_2Cu_{2.78}Co_{0.22}O_{7-\delta}$ thin films, **289**, (1997) 89
Tripp, S.C., see Sandim, M.J.R., **289**, (1997) 265

Uen, T.M., see Wu, K.H., **289**, (1997) 230
Umeda, T., see Goodilin, E., **289**, (1997) 251
Umeda, T., see Goodilin, E., **289**, (1997) 37

Vaglio, R., see Andreone, A., **289**, (1997) 275
Vasiliev, A.L., D.S. Linehan, E.P. Kvam, L. Hou and M.W. McElfresh, Single variant orientational growth of $YBa_2Cu_3O_{7-x}$ on vicinal (011) $SrTiO_3$ substrates observed by electron microscopy, **289**, (1997) 243
Venkatesan, T., see Trajanovic, Z., **289**, (1997) 89
Vieira, J.M., see Costa, F.M., **289**, (1997) 161
Vieira, J.M., see Costa, F.M., **289**, (1997) 171

Wang, J., see Grévin, B., **289**, (1997) 77
Wang, J.C., see Chen, J.W., **289**, (1997) 131
Weiss, F., see Grévin, B., **289**, (1997) 77
Wen, J.G., see Feng, Y., **289**, (1997) 216

Wu, K.H., S.P. Chen, J.Y. Juang, T.M. Uen and Y.S. Gou, Investigation of the evolution of $YBa_2Cu_3O_{7-\delta}$ films deposited by scanning pulsed laser deposition on different substrates, **289**, (1997) 230

Xu, X.N., see Yu, Y., **289**, (1997) 199

Yang, S.Z., see Yu, Y., **289**, (1997) 199
Yao, X.X., see Yu, Y., **289**, (1997) 199
Yasuda, T., M. Tonouchi and S. Takano, Influence of self-heating on the *I–V* characteristics in Bi-2212 intrinsic junctions, **289**, (1997) 109
Yoo, S.I., see Kojo, H., **289**, (1997) 85
Yu, Y., H.M. Shao, Z.Y. Zheng, A.M. Sun, M.J. Qin, X.N. Xu, S.Y. Ding, X. Jin, X.X. Yao, J. Zhou, Z.M. Ji, S.Z. Yang and W.L. Zhang, $HgBa_2CaCu_2O_y$ superconducting thin films prepared by laser ablation, **289**, (1997) 199
Zegenhagen, J., see Brunen, J., **289**, (1997) 177
Zhang, W.L., see Yu, Y., **289**, (1997) 199
Zhang, X., W.H. Lu and C.K. Ong, Structural changes in $HgBa_2Ca_2Cu_3O_{8+\delta}$ under high pressure, **289**, (1997) 99
Zheng, Z.Y., see Yu, Y., **289**, (1997) 199
Zhou, J., see Yu, Y., **289**, (1997) 199
Zhou, L., see Feng, Y., **289**, (1997) 216

ELSEVIER

Physica C 289 (1997) 302–303

PHYSICA C

Analytic Subject Index to Volume 289

Activation energy
–in Nd_2CuO_4 131
Anisotropic properties
–of $YBa_2Cu_{2.78}Co_{0.22}O_{7-\delta}$ thin films 89
Annealing
–of Bi-Sr-Ca-Cu-O fibers 171
–of $HgBa_2CaCu_2O_y$ films 199

Bending strain 63

Carbonates CO_3 77
Cationic substitution
–in $HgBa_2Ca_{n-1}Cu_nO_{2n+2+\delta}$ 153
Charge rearrangement 51
Chemical phase separation
–in $YBa_2Cu_3O_{6+x}$ 77
Coherence length 177
Critical current density
–of Bi-Sr-Ca-Cu-O fibers 171
–of Nd-Ba-Cu-O 85
–of $YBa_2Cu_{2.95}Sn_{0.05}O_y$ 216
Critical current 291
Cu–O planes
–in $HgBa_2Ca_2Cu_3O_{8+\delta}$ 99
CuO chains
–in $Lu_{1-x}Ca_xBa_2Cu_3O_{6+\delta}$ 280
Current distribution
–in superconducting strips 123

Defect structures
–in $Y_1Ba_2Cu_3O_{7-x}$ films 146
Dielectric properties
–of Nd_2CuO_4 131
Dopant incorporation
–in $YBa_2Cu_{2.78}Co_{0.22}O_{7-\delta}$ thin films 89
Doping state
–of $Tl(Sr_{2-x}R_x)CaCu_2O_{7-\delta}$ 114

Effect of pressure
–on $HgBa_2Ca_2Cu_3O_{8+\delta}$ 99
–on $Tl_2Ba_2CuO_{6+x}$ 203
Electrical resistivity
–of $REBa_2Cu_3O_{7-\delta}$ 137
–of $Sm_{1.83}Ce_{0.17}CuO_{4-y}$ 265
–of $Tl(Sr_{2-x}R_x)CaCu_2O_{7-\delta}$ 114
–of $YBa_2Cu_{2.78}Co_{0.22}O_{7-\delta}$ thin films 89
Electronic structure
–of $La_{2-x}Sr_xNiO_4$ thin films 223
–of $YBa_2Cu_3O_7$ 51

Film evolution
–in $YBa_2Cu_3O_{7-\delta}$ films 230
Fluorination
–of $HgBa_2Ca_{n-1}Cu_nO_{2n+2+\delta}$ 153
Flux creep
–in $YBa_2Cu_{2.95}Sn_{0.05}O_y$ 216
Flux distribution 22
Flux penetration 22
Flux pinning
–in $YBa_2Cu_{2.95}Sn_{0.05}O_y$ 216
–in YBaCuO 211

Generalized Hubbard model 70
Grain alignment (texturing)
–in $Bi_2Sr_2CaCu_2O_{8+y}$ thick fibres 1
Granularity
–of $Sm_{1.83}Ce_{0.17}CuO_{4-y}$ 265
Growth
–of BSCCO whiskers 192

Hartree-Fock-BCS approximation 70
Hole concentration
–in $REBa_2Cu_3O_{7-\delta}$ 137
Hysteresis lost 123

I-V characteristics
–of Bi-2212 intrinsic junctions 109
–of $Bi_2Sr_2Ca_2Cu_3O_{10}/Ag$ 63
Intrinsic Josephson effect
–on $Bi_2Sr_2CaCu_2O_x$ single crystal 109
Irreversible magnetization
–of $Bi_2Sr_2CaCu_2O_{8+y}$ thick fibres 1

Josephson junction 291
Joule heating effect 109

Lamination
–of YBaCuO 211
Large area deposition 230
Laser ablation
–of $HgBa_2CaCu_2O_y$ films 199
Lattice parameters
–of $HgBa_2Ca_{n-1}Cu_nO_{2n+2+\delta}$ 153
–of $Tl(Sr_{2-x}R_x)CaCu_2O_{7-\delta}$ 114
Layered structure 291
Liquidus 251

Magnetic field distribution
–in superconducting strips 123
Magnetic relaxation
–in $YBa_2Cu_{2.95}Sn_{0.05}O_y$ 216
Magnetic susceptibility
–of Bi-Sr-Ca-Cu-O fibers 171
Magnetization
–of $Tl(Sr_{2-x}R_x)CaCu_2O_{7-\delta}$ 114
–of $YBa_2Cu_{2.95}Sn_{0.05}O_y$ 216
–of YBaCuO 211
Melt process
–for Nd-Ba-Cu-O 85
Metal-insulator transition
–in $La_{2-x}Sr_xNiO_4$ thin films 223
Microstructure
–of $Bi_2Sr_2CaCu_2O_{8+y}$ thick fibres 1
–of $YBa_2Cu_3O_{7-x}$ films 243
Multifilamentary tapes
–of $Bi_2Sr_2Ca_2Cu_3O_{10}/Ag$ 63
Multilayers 177

NQR
–in $YBa_2Cu_3O_{6+x}$ 77
Neodymium solid solution 251
Neutron diffraction
–on $Lu_{1-x}Ca_xBa_2Cu_3O_{6+\delta}$ 280
Nucleation 171

Overdoping
–in $Lu_{1-x}Ca_xBa_2Cu_3O_{6+\delta}$ 280
Oxygen relaxation
–in $Tl_2Ba_2CuO_{6+x}$ 203
Oxygen stoichiometry
–in Nd_2CuO_4 131

Phase diagram 70
–of Nd-Ba-Cu-O 85
–of $NdO_{1.5}$-BaO-CuO 251
Phase formation 192
Phonon spectrum
–of $SmBa_2Cu_3O_{7-\delta}$ thin films 177
Pulsed laser deposition
–of $YBa_2Cu_3O_{7-\delta}$ films 230

Raman scattering
–on $SmBa_2Cu_3O_{7-\delta}$ thin films 177
Relaxation behavior
–of Nd_2CuO_4 131

Scanning tunneling spectroscopy
–on $La_{2-x}Sr_xNiO_4$ thin films 223
Solid solution 85
Solubility of Nd
–in $Nd_{1+x}Ba_{2-x}Cu_3O_z$ 37
Spin-lattice relaxation time T_1
–in $YBa_2Cu_3O_{6+x}$ 77
Sputter deposition
–of $Y_1Ba_2Cu_3O_{7-x}$ films 146
Structural changes
–in $HgBa_2Ca_2Cu_3O_{8+\delta}$ 99
Structure
–of Bi-Sr-Ca-Cu-O fibers 161
–of $HgBa_2Ca_2Cu_3O_{8+\delta}$ 99
–of $HgBa_2CaCu_2O_y$ films 199
–of $Lu_{1-x}Ca_xBa_2Cu_3O_{6+\delta}$ 280
–of $YBa_2Cu_{2.78}Co_{0.22}O_{7-\delta}$ thin films 89
Substitution effects
–in $REBa_2Cu_3O_{7-\delta}$ 137
Substrate effect
–on $YBa_2Cu_3O_{7-\delta}$ films 230
Superconducting strips 123
Surface impedance measurements
–on $Bi_2Sr_2CaCu_2O_{8+x}$ superconducting films 275
Synthesis
–of Bi-Sr-Ca-Cu-O fibers 161
–of $Bi_2Sr_2CaCu_2O_{8+y}$ thick fibres 1
–of $HgBa_2CaCu_2O_y$ films 199
–of Nd-Ba-Cu-O 85
–of $Nd_{1+x}Ba_{2-x}Cu_3O_z$ 37
–of $SmBa_2Cu_3O_{7-\delta}$ thin films 177
–of $YBa_2Cu_3O_{7-x}$ films 243

TEM
–on $YBa_2Cu_3O_{7-x}$ films 243
Thin film 177
Thin films
–of $Y_1Ba_2Cu_3O_{7-x}$ 146
Thin superconductors 22
Three-body interactions 70
Twin boundaries
–in YBaCuO 211
Two-fluid theory 265

Unaxial strain
–on $YBa_2Cu_3O_7$ 51

Vicinal surface
–of $YBa_2Cu_3O_{7-x}$ films 243
Vortex fluctuations
–in $Bi_2Sr_2Ca_2Cu_3O_{10}/Ag$ 63
Vortex 291

Whiskers 192

ELSEVIER

Physica C 289 (1997) 304

Materials Index to Volume 289

BSCCO whiskers
–growth 192
Bi-2212 intrinsic junctions
–I-V characteristics 109
Bi-Sr-Ca-Cu-O fibers
–annealing 171
–critical current density 171
–magnetic susceptibility 171
–structure 161
–synthesis 161
$Bi_2Sr_2Ca_2Cu_3O_{10}/Ag$
–i-V characteristics 63
–multifilamentary tapes 63
–vortex fluctuations 63
$Bi_2Sr_2CaCu_2O_x$ single crystal
–intrinsic Josephson effect 109
$Bi_2Sr_2CaCu_2O_{8+x}$ superconducting films
–surface impedance measurements 275
$Bi_2Sr_2CaCu_2O_{8+y}$ thick fibres
–grain alignment (texturing) 1
–irreversible magnetization 1
–microstructure 1
–synthesis 1

$HgBa_2Ca_{n-1}Cu_nO_{2n+2+\delta}$
–cationic substitution 153
–fluorination 153
–lattice parameters 153
$HgBa_2Ca_2Cu_3O_{8+\delta}$
–Cu–O planes 99
–effect of pressure 99
–structural changes 99
–structure 99
$HgBa_2CaCu_2O_y$ films
–annealing 199
–laser ablation 199
–structure 199
–synthesis 199

$La_{2-x}Sr_xNiO_4$ thin films
–electronic structure 223
–metal-insulator transition 223
–scanning tunneling spectroscopy 223

$Lu_{1-x}Ca_xBa_2Cu_3O_{6+\delta}$
–CuO chains 280
–neutron diffraction 280
–overdoping 280
–structure 280

Nd-Ba-Cu-O
–critical current density 85
–melt process 85
–phase diagram 85
–synthesis 85
$Nd_{1+x}Ba_{2-x}Cu_3O_z$
–solubility of Nd 37
–synthesis 37
Nd_2CuO_4
–activation energy 131
–dielectric properties 131
–oxygen stoichiometry 131
–relaxation behavior 131
$NdO_{1.5}$-BaO-CuO
–phase diagram 251

$REBa_2Cu_3O_{7-\delta}$
–electrical resistivity 137
–hole concentration 137
–substitution effects 137

$Sm_{1.83}Ce_{0.17}CuO_{4-y}$
–electrical resistivity 265
–granularity 265
$SmBa_2Cu_3O_{7-\delta}$ thin films
–phonon spectrum 177
–raman scattering 177
–synthesis 177

$Tl(Sr_{2-x}R_x)CaCu_2O_{7-\delta}$
–doping state 114
–electrical resistivity 114
–lattice parameters 114
–magnetization 114
$Tl_2Ba_2CuO_{6+x}$
–effect of pressure 203
–oxygen relaxation 203

$Y_1Ba_2Cu_3O_{7-x}$ films
–defect structures 146
–sputter deposition 146
$Y_1Ba_2Cu_3O_{7-x}$
–thin films 146
$YBa_2Cu_{2.7}Co_{0.12}O_{7-\delta}$
–anisotropic properties 8
–dopant incorporation 8
–electrical resistivity 89
–structure 89
$YBa_2Cu_{2.95}Sn_{0.05}O_y$
–critical current density
–flux creep 216
–flux pinning 216
–magnetic relaxation 21
–magnetization 216
$YBa_2Cu_3O_{6+x}$
–chemical phase separat
–NQR 77
–spin-lattice relaxation t
$YBa_2Cu_3O_7$
–electronic structure 51
–unaxial strain 51
$YBa_2Cu_3O_{7-\delta}$ films
–film evolution 230
–pulsed laser deposition
–substrate effect 230
$YBa_2Cu_3O_{7-x}$ films
–microstructure 243
–synthesis 243
–TEM 243
–vicinal surface 243
YBaCuO
–flux pinning 211
–lamination 211
–magnetization 211
–twin boundaries 211

superconducting strips
–current distribution 123
–magnetic field distribut

ELSEVIER

Physica C 289 (1997) 304

PHYSICA C

Materials Index to Volume 289

BSCCO whiskers
–growth 192
Bi-2212 intrinsic junctions
–I-V characteristics 109
Bi-Sr-Ca-Cu-O fibers
–annealing 171
–critical current density 171
–magnetic susceptibility 171
–structure 161
–synthesis 161
$Bi_2Sr_2Ca_2Cu_3O_{10}/Ag$
–i-V characteristics 63
–multifilamentary tapes 63
–vortex fluctuations 63
$Bi_2Sr_2CaCu_2O_x$ single crystal
–intrinsic Josephson effect 109
$Bi_2Sr_2CaCu_2O_{8+x}$ superconducting films
–surface impedance measurements 275
$Bi_2Sr_2CaCu_2O_{8+y}$ thick fibres
–grain alignment (texturing) 1
–irreversible magnetization 1
–microstructure 1
–synthesis 1

$HgBa_2Ca_{n-1}Cu_nO_{2n+2+\delta}$
–cationic substitution 153
–fluorination 153
–lattice parameters 153
$HgBa_2Ca_2Cu_3O_{8+\delta}$
–Cu–O planes 99
–effect of pressure 99
–structural changes 99
–structure 99
$HgBa_2CaCu_2O_y$ films
–annealing 199
–laser ablation 199
–structure 199
–synthesis 199

$La_{2-x}Sr_xNiO_4$ thin films
–electronic structure 223
–metal-insulator transition 223
–scanning tunneling spectroscopy 223

$Lu_{1-x}Ca_xBa_2Cu_3O_{6+\delta}$
–CuO chains 280
–neutron diffraction 280
–overdoping 280
–structure 280

Nd-Ba-Cu-O
–critical current density 85
–melt process 85
–phase diagram 85
–synthesis 85
$Nd_{1+x}Ba_{2-x}Cu_3O_z$
–solubility of Nd 37
–synthesis 37
Nd_2CuO_4
–activation energy 131
–dielectric properties 131
–oxygen stoichiometry 131
–relaxation behavior 131
$NdO_{1.5}$-BaO-CuO
–phase diagram 251

$REBa_2Cu_3O_{7-\delta}$
–electrical resistivity 137
–hole concentration 137
–substitution effects 137

$Sm_{1.83}Ce_{0.17}CuO_{4-y}$
–electrical resistivity 265
–granularity 265
$SmBa_2Cu_3O_{7-\delta}$ thin films
–phonon spectrum 177
–raman scattering 177
–synthesis 177

$Tl(Sr_{2-x}R_x)CaCu_2O_{7-\delta}$
–doping state 114
–electrical resistivity 114
–lattice parameters 114
–magnetization 114
$Tl_2Ba_2CuO_{6+x}$
–effect of pressure 203
–oxygen relaxation 203

$Y_1Ba_2Cu_3O_{7-x}$ films
–defect structures 146
–sputter deposition 146
$Y_1Ba_2Cu_3O_{7-x}$
–thin films 146
$YBa_2Cu_{2.78}Co_{0.22}O_{7-\delta}$ thin films
–anisotropic properties 89
–dopant incorporation 89
–electrical resistivity 89
–structure 89
$YBa_2Cu_{2.95}Sn_{0.05}O_y$
–critical current density 216
–flux creep 216
–flux pinning 216
–magnetic relaxation 216
–magnetization 216
$YBa_2Cu_3O_{6+x}$
–chemical phase separation 77
–NQR 77
–spin-lattice relaxation time T_1 77
$YBa_2Cu_3O_7$
–electronic structure 51
–unaxial strain 51
$YBa_2Cu_3O_{7-\delta}$ films
–film evolution 230
–pulsed laser deposition 230
–substrate effect 230
$YBa_2Cu_3O_{7-x}$ films
–microstructure 243
–synthesis 243
–TEM 243
–vicinal surface 243
YBaCuO
–flux pinning 211
–lamination 211
–magnetization 211
–twin boundaries 211

superconducting strips
–current distribution 123
–magnetic field distribution 123

ELSEVIER

Physica C 289 (1997) 305–306

PHYSICA C

Cumulative Author Index to Volume 289

Al-Mosawi, M.K., **289**, 63
Aligia, A.A., **289**, 70
Andreone, A., **289**, 275
Angurel, L.A., **289**, 1
Arrachea, L., **289**, 70
Aruta, C., **289**, 275

Balestrino, G., **289**, 275
Barkay, Z., **289**, 146
Bauer, E., **289**, 89
Beduz, C., **289**, 63
Berthier, Y., **289**, 77
Bridges, F., **289**, 89
Brunen, J., **289**, 177
Bryntse, I., **289**, 137

Capponi, J.J., **289**, 153
Cardona, M., **289**, 177
Cassinese, A., **289**, 275
Chabanenko, V.V., **289**, 211
Chandran, M., **289**, 22
Chen, J.W., **289**, 131
Chen, S.P., **289**, 230
Chen, Y.F., **289**, 131
Costa, F.M., **289**, 161, , 171
Crisan, A., **289**, 63

Deutscher, G., **289**, 146
Díez, J.C., **289**, 1
Ding, S.Y., **289**, 199
Doyle, S., **289**, 203
D'yachenko, A.I., **289**, 211

Edwards, P.P., **289**, 153

Feng, Y., **289**, 216
Fistul, M.V., **289**, 291

Gameson, I., **289**, 153
Giuliani, G.F., **289**, 291
Gnanasekar, K.I., **289**, 280
Goodilin, E., **289**, 37, , 251
Gou, Y.S., **289**, 230
Grahn, P., **289**, 137
Grévin, B., **289**, 77
Gupta, L.C., **289**, 280

Haldar, P., **289**, 63
Hermann, A.M., **289**, 203
Hou, L., **289**, 243
Huang, B.C., **289**, 114

Jardim, R.F., **289**, 265
Ji, Z.M., **289**, 199
Jin, X., **289**, 199
Juang, J.Y., **289**, 230

Kambara, M., **289**, 37, , 251
Kanai, M., **289**, 223
Kawai, T., **289**, 223
Kojo, H., **289**, 85
Koshizuka, N., **289**, 216
Krupke, R., **289**, 146
Kvam, E.P., **289**, 243

Lee, W.H., **289**, 114
Li, Z., **289**, 192
Linehan, D.S., **289**, 243
Looney, C., **289**, 203
Lu, W.H., **289**, 99
Lundqvist, P., **289**, 137

Martínez, E., **289**, 1
Matsuura, D., **289**, 223
McElfresh, M.W., **289**, 243
Miki, H., **289**, 223
Milani, E., **289**, 275
Monot, I., **289**, 77
Müller, K.-H., **289**, 123
Murakami, M., **289**, 85

Navarro, R., **289**, 1

Ong, C.K., **289**, 99

Palomba, F., **289**, 275
Peacock, G.B., **289**, 153
Phillips, D., **289**, 63
Pickett, W.E., **289**, 51
Piechota, S., **289**, 211
Pinto, R., **289**, 280

Qin, M.J., **289**, 199

Rajeswari, M., **289**, 89
Ramanathan, S., **289**, 192
Rapp, Ö., **289**, 137
Ravi-Chandar, K., **289**, 192

Sager, R.E., **289**, 265
Sandim, M.J.R., **289**, 265
Schilling, J.S., **289**, 203
Sequiera, A., **289**, 280
Shao, H.M., **289**, 199
Sharma, R., **289**, 280
Shiohara, Y., **289**, 37, , 251
Shreekala, R., **289**, 89
Silva, R.F., **289**, 161, , 171
Slaski, M., **289**, 153
Spagna, S., **289**, 265
Strach, T., **289**, 177
Sun, A.M., **289**, 199
Suzuki, P.A., **289**, 265
Szymczak, H., **289**, 211

Takano, S., **289**, 109
Takeuchi, I., **289**, 89
Tonouchi, M., **289**, 109
Trajanovic, Z., **289**, 89
Tripp, S.C., **289**, 265

Uen, T.M., **289**, 230
Umeda, T., **289**, 37, , 251

Vaglio, R., **289**, 275
Vasiliev, A.L., **289**, 243
Venkatesan, T., **289**, 89
Vieira, J.M., **289**, 161, , 171

Wang, J., **289**, 77
Wang, J.C., **289**, 131
Weiss, F., **289**, 77
Wen, J.G., **289**, 216
Wu, K.H., **289**, 230

Xu, X.N., **289**, 199

Yang, S.Z., **289**, 199
Yao, X.X., **289**, 199
Yasuda, T., **289**, 109
Yoo, S.I., **289**, 85
Yu, Y., **289**, 199

Zegenhagen, J., **289**, 177
Zhang, W.L., **289**, 199
Zhang, X., **289**, 99
Zheng, Z.Y., **289**, 199
Zhou, J., **289**, 199
Zhou, L., **289**, 216